

**LOVE YOUR CHILD:
In-Home Drug/Alcohol Test Kits
Program**

Llano Alliance
For
Drug Intervention, Inc.
(LADI)
Non-Profit 501(c)(3)



Llano, Texas, USA

www.l-a-d-i.org

©2010 by Llano Alliance for Drug Intervention, Inc.
All rights reserved.

LADI

Llano Alliance for Drug Intervention, Inc.

LADI PURPOSE

The Llano Alliance for Drug Intervention exists for the purpose of:

- Assisting the justice system in the elimination of illegal drugs
- Prevention of drug use through community education and awareness
- Assistance in recovery for those impacted by drug use

OFFICERS DIRECTORS

Don Graham, Chairman	Mark Burke
Rev. Jerry Brown, Vice-Chair	Dennis Hill
J. H. Smith, Secretary	Rev. Ervin Light
Jim Young, Treasurer	Bobby Limmer
	Rev. Mary Margaret Mueller

ADVISORY BOARD

Rev. Rick Cundieff	Jo Ann Osborne
Tim Glover	Cindy Richerson
Paula Graham	James Schilling
Pat Hoffman	Sherry Simpson
Debbie Honig	Sarah Smith
Bill Lane	Mike Steelman
Carole Limmer	Bobby Stuart
Cheryll Mabray	Quinn Wilson
David Nantz	Rob Wilson
Sam Oatman	

501(c)(3) Incorporated, May 9, 2006

Acknowledgements

The Llano Alliance for Drug Intervention, Inc. (LADI) would like to recognize and acknowledge the following as providing a significant portion of this document and as its primary source of content:

This guide was developed with the assistance and input of a working group of parents, medical professionals, school personnel, community coalition members and other professionals. Additionally county government personnel participated in its development, including the Bucks County (PA) Department of Health, Bucks County Department of Corrections, and Bucks County Juvenile Probation. This guide was originally produced by Bucks County Council on Alcoholism and Drug Dependence, Inc. under contract with Bucks County Drug and Alcohol Commission, Inc.

This guide: *Love Your Child: In-Home Drug/Alcohol Test Kits Program* is made possible by the Llano Alliance for Drug Intervention, Inc. (LADI). LADI specifically disclaims responsibility for any analysis, interpretations, or conclusions herein.

NOTES

Preface

We understand that using home drug tests for drugs, or alcohol may not be the answer for every parent. It's not some magic wand that when waved will miraculously solve all your problems. It can be a valuable part of a larger process which includes talking to your kids and linking both rewards and consequences to the outcomes of their home drug tests. Sometimes problems may get worse before they get better. However, with a little courage, the right home drug and alcohol test kit and some help from the resources listed in the booklet, you can prevent many problems, get others out into the open and deal effectively with whatever else remains.

Are You Setting A Good Example?

Whether you realize it or not, as a parent you set an example for your kids. Before you can help them address their drug or alcohol use, you must examine your own relationship with substances. You may even feel like a hypocrite because you drank alcohol in high school or tried marijuana. Realize that in order to help your son or daughter with their problem, you'll first have to address yours.

TABLE OF CONTENTS

Preface.....	3
Frequently Asked Questions:.....	5
Introduction.....	9
Deciding if Home Drug Testing is Right for Your Family:	10
Potential Benefits of Home Drug Testing.....	11
What Types of Drug Tests are Available?.....	14
Where Can I Get a Drug Testing Kit?.....	15
My Child Just Tested Positive. What Do I Do Now?	16
My Child’s Drug Test was Negative....Can I Relax?....	17
Community Resources	19
Resources For Assessment & Treatment Of Alcohol and Other Drug Problems	21
Endorsements.....	25

Endorsements

The **Love Your Child: In-Home Drug/Alcohol Test Kit Program** has been endorsed by numerous local Churches, Public Officials, Organizations and Individuals.

To see a specific list of those endorsing this program, go to our website: www.l-a-d-i.org.

General Disclaimer:

This consumer guide is intended to provide the public with general information about home drug testing. It is not intended to be a recommendation for or against the practice of home testing. Rather, it is intended to help parents and others understand its potential risks and benefits. Caution and careful thought is urged when considering, choosing, and implementing home testing and when interpreting and confirming home testing kit results. The safest and wisest course of action is to seek a professional assessment if you have a concern that your adolescent may be using alcohol or other drugs.

Treatment & Recovery Services:

As part of your assessment visit, the counselor will advise you of the type of treatment you or your child may need and your options for treatment and recovery. The agencies listed on page 23 will let you know your options, including the names of additional treatment facilities in your community.

Frequently Asked Questions:

I think my child may be drunk or high right now...I'm worried he's in danger....What should I do?

If there is an immediate danger,

CALL 9-1-1

Or take your child to the emergency room of your local hospital.

This guide is not to be used to advise parents in an emergency.

What are some signs that my child might be under the influence of alcohol or other drugs?

Speech: Slurred

Movements: Unsteady

Eyes: Glassy, red, or dilated pupils

Responsiveness: Overly irritable, lethargic, or inappropriate

Odor: Alcohol/Marijuana on breath or clothing

How Do I Know If A Drug Test Is Reliable?

The drug testing kits are FDA cleared. They are designed to meet standard drug cut off levels that are set by SAMHSA, which is the Substance Abuse and Mental Health Services Administration. Drug test kits are used by teens, individuals, small businesses, educational institutions, police departments and public service organizations.

How Long Could A Drug Stay In The Body?

Most illegal drugs stay in the body for 3 to 4 days. Marijuana is the exception and can stay in the body up to six weeks after last ingestion.

How Can I Approach My Teen Regarding Teen Drug Testing At Home?

It may or may not come as a shock to your teen that you would like to test them for drug use. For the kids or teens who may be using drugs or alcohol there might be some resistance to a drug or alcohol test. When your child realizes that you have their best interest at heart, the resistance should decrease. As a parent and/or guardian of minor children in your home, you have the right to test your teen.

Suggestions For Conversation With Your Teen

1. **Stay Calm** – Respecting your teen and talking in a calm manner could make the drug test more acceptable to your teen. Using “I” instead of “YOU” sentences, such as “I am concerned about” Instead of “You did”
2. **Have A Discussion** – Let your teen know why you are concerned and would like to perform the drug test. Ask your teen how they feel about the drug test. Listen to your teen without interruption. Stay on topic and do not allow your teen to sway your decision to perform the drug test.
3. **Stay On Topic** – It is very easy to let the conversation wander onto other subjects, but the end result must be to perform the drug test. If you let the teen talk you out of performing the drug test, they will think they have the upper hand. It will be hard to stand your ground, but you must.

REFERRALS

Hill Country Children’s Charter Behavioral Health Advocacy Center

1001 N. Hill St.
Burnet, TX 78605
512.756.2607

2001 Ladbrook Dr.
Kingwood, TX 77339
281.358.4501

Sonny Spangler MACP, LPC, C.H.T. Family Services Center of Marble Falls

1811 Hwy. 281 N. #3
Marble Falls, TX 78654
830.693.8631

1016 Broadway St
Marble Falls, TX 78654
830.693.0700

La Hacienda’s Treatment Center Anorexia and Bulimics Anonymous

145 La Hacienda Way
Hunt, TX 78024
800.749.6160

214.929.9169

Twelve Step Ministry

Dallas, TX
Bob Dicken
214.265.7192

SAMHSA

Dept of Health & Human Services
240.276.2130

Summer Sky, Inc.

1100 McCart
Stephenville, TX 76401
800.588.2907
888.857.8857 (24hr Info Ln)

Free Lectures: Just Tell Me What To Bring

Austin Recovery
8402 Cross Park
Austin, TX 512.697.8528

funding. The following assessment sites will assist you in making this determination.

C. Cooper Counseling

Center

103 E. Main – Suite 5
Llano, Texas 78643
325.247.4477

ARC

(Austin Recovery Center)

800.373.2081

CARES

Family Resource Center
3200-A RR 1869 – Box 385
Liberty Hill, TX 78642
512.548.6000

OSAR

56 East Avenue
Austin, TX 78701
1009 North Georgetown
Street
Round Rock, TX 78664
800.841.1255
Contact: Leticia Gamez
512.244.8484

SERENITY HOUSE

Fredericksburg, TX
830.997.9340

4. **Time To Perform The Drug Test** – Perform the drug test with your teen. Observe the reaction of your teen during the process. Note their behavior and facial expressions when the results appear. If the results are negative, let your teen know you appreciate their cooperation in the process and that there may be random testing in the future just for your reassurance.

What To Do When You Drug Test Your Teen and The Results Are Positive

1. **Stay Calm** – The objective is to find out who, what, when, where, why and how the drugs are being used. It may take a bit of determination on your part to get the information, but it is important to know so that you can take action to prevent further drug abuse.
2. **Taking Action** – Some changes in family dynamics you might consider would be to perform random drug testing and participate in closer supervision of your teen and their activities.
3. **Retest** – In approximately 5 days, it is suggested to retest for drug use, as that is the time when most drugs should be out of the body. The exception being marijuana, which can stay up to six weeks after last use.
4. **False Positive Results** – This can occur when someone is taking a prescription drug which falls into a category of an illegal drug. Some examples would be opiates, benzodiazepines and barbiturates. These drugs could possibly be in the home medicine cabinet and should be placed somewhere that is not accessible to the teen. Some prescription medications prescribed for your teen may also cause a false posi-

tive test result. If there is a concern that abuse of a prescribed medication is happening, your doctor can order a lab test to determine the level of that drug in your teen. Trust your parental instincts.

Can Passive Smoke At A Party Cause A Positive Test Result For Marijuana (THC)?

The amount of passive smoke would need to be far greater than that experienced at a party. The person would need to actually ingest the marijuana, either by smoking or eating it.

How Often Should I Test My Teen For Drug Or Alcohol Use?

It would depend on your situation. Once again, trust your instincts. If you think your teen might be acting differently and seems to be avoiding you, it might be a good time to perform a teen drug test. If the initial drug test had a positive result, it would probably be a good idea to perform random drug testing on your teen.

I want a professional to assess my child for alcohol or other drug use. Who do I call?

Ask your family doctor for a recommendation

Seek the services of a certified drug and alcohol counselor

Call one of several organizations that assess children for substance use. See age 23 of this guide for contact information.

support to help each other refrain from use and address related problems.

Recovery Support Services:

Once an individual has chosen to stop using substances, additional supports that assist that individual to maintain their abstinence can be quite helpful. These supports are called Recovery Support Services, and they generally involve practical, peer-to-peer support and education by others who have conquered similar problems.

Family Education and Support:

Substance abuse issues often impact and confuse family members of the person who is using or has used. Parents and other family members may not be sure how to help the affected individual, when and how to set limits, and how to take care of themselves in the face of a substance-using or addicted family member. Family education and supports can be of assistance to concerned and struggling families.

Resources For Assessment & Treatment Of Alcohol and Other Drug Problems

If you are covered by a health insurance policy, you must first contact this company for a listing of approved assessment and treatment agencies in your community. The contact information can be found on the back of your insurance card.

If you do not have health insurance, you may be eligible for Medicare, Medical Assistance or county

mental or addictive in nature. Upon completion of the assessment, the professional should be able to provide the family a concrete impression of the problem or problems and some clear recommendations on how to proceed (next steps) to address the problem. The final pages of this guide lists sites where parents can arrange for a professional substance use assessment.

Treatment:

One outcome that may arise as a result of assessment is a recommendation for professional treatment. Treatment may range from outpatient individual counseling on a weekly basis, to group counseling several times per week, or even 24 hour inpatient care for several days or longer. The type and length of treatment recommended will be based upon the information the professional gathers and upon the availability of local resources. Parents who have an adolescent who receives a recommendation for treatment are encouraged to work closely with their assessment provider to match their adolescent with the recommended level and type of care.

Self-Help Groups:

Over the years many people have found that self-help groups, such as Alcoholics Anonymous (AA) and Narcotics Anonymous (NA) have been very helpful to individuals seeking to stop using substances. These meetings are free, anonymous, relatively common, and open to anyone who has a desire to stop using. Some groups, however, are targeted to young people. There are other self-help groups that may offer similar assistance. Self-help groups are generally not professionally facilitated. Instead they utilize peer

Introduction

The “**Love Your Child: In-Home Drug/Alcohol Test Kits Program**” addresses commonly asked questions and concerns about the use of these tests. *If you are concerned that a child in your care might be in immediate danger call 911 or seek medical attention right away.*

Adolescence is a critical period of human development. The body and brain grow and change rapidly. Families function better and children mature more successfully when they grow up alcohol and drug free. The idea that alcohol and other drug use are normal for teens is mistaken. Parents must set and communicate clear, drug-free standards to guide children away from drugs. Conversations about these family rules should begin early, during the child’s elementary school years, and should continue through adolescence and college.

What’s the Big Deal?

Substance abuse is a significant danger to the health and safety of young people. Despite the best efforts of parents, educators, and communities, children and adolescents sometimes experiment with alcohol, tobacco, and other drugs. Addiction or other serious health problems can be a result.

Each year thousands of children die from substance use. Causes include unintended overdose, reactions with medications, or substance-related accidents. **These deaths are preventable.** Research shows that a child’s brain is not fully mature until they reach their early twenties. Early introduction of alcohol and

drugs is known to delay the healthy development of the brain

What's the Solution?

There are many ways for parents to create a drug and alcohol free environment. One of the most important is: Have clear and consistent family discussions. Be sure to talk regularly about what is acceptable behavior. Ongoing communication within the family, before and during adolescence, is a key to successful prevention.

Parents may consider the use of home drug testing as a prevention approach. These tests can serve both as a deterrent and as a method to find out whether drug use has already occurred. There are many different risks and benefits of this kind of testing.

An Important Word of Caution:

Home drug testing is a personal decision that only you can make for your family. It is not a magical solution, and should be entered into with care. No drug test can be considered a replacement for a professional assessment. Please read this guide carefully as it may help you to decide whether home drug testing is right for your family.

Deciding if Home Drug Testing is Right for Your Family:

Ask yourself these questions. If you are unsure, ask your family doctor or pharmacist for assistance:

Is the test I am considering designed for **home use by parents?**

Community Resources

There are a range of community resources that can be helpful to your family. These include prevention education and activities, assessment, treatment, self-help groups, family support, and recovery support services.

Prevention:

Prevention education by parents is the first line of defense against the development of experimentation and substance use problems. Parents are encouraged to have clear and honest discussions on a regular basis with their adolescent about not using substances. Research shows that parents who do so are much less likely to have an adolescent who develops substance-related problems. Additionally, many communities and schools provide prevention initiatives and parents are encouraged to participate actively in them. Should any substance use be known to them, parents are encouraged to act assertively to address the problem, through early intervention. This may take the form of additional education, brief counseling, and other family-based efforts to support abstinence and promote healthier choices.

Assessment:

A full assessment conducted by a licensed or certified drug and alcohol professional is an essential first step in addressing known or suspected substance use by adolescents. The purpose of the assessment is to obtain a fuller picture of the adolescent and family, to understand his or her strengths and problems, and to identify the extent to which the substance use may or may not be present. If present, an assessment will help to evaluate whether the substance use is experi-

merous ways that a child can beat a drug test. Many of these methods are, unfortunately, found easily on the Internet. If you find evidence that a child may be searching out these methods, it is suggestive that drug use may have occurred.

If a child's drug test comes back with a negative result, parents are then encouraged to give their child positive feedback. Praise and encouragement are powerful ways to shape future behavior. Parents are also encouraged to continue talking with their child. Specifically, continue discussing the risks of using; the benefits of not using; and the clear expectation that a child is not to use drugs or alcohol. This shows that parents are concerned and aware, and that they will take assertive action if they believe drug and alcohol use is occurring.

What are Some Alternatives to Home Drug Testing?

One alternative to the home drug test is to have testing done by your child's pediatrician or family medical doctor. This may decrease some uneasiness with urine sample collection. It also ensures that the sample will be tested by a licensed laboratory. Parents interested in this option are encouraged to contact their child's medical practice. Ask about their procedures and, if you'd like, arrange an appointment. If needed, this health care professional might suggest, and possibly help with, a referral to a substance abuse professional.

Another alternative is to go directly to a local professional lab for a drug test. A physician's prescription is usually needed. This option may also help to reduce concerns, such as collecting the sample and interpreting the results.

What are the **risks and benefits** of the type of testing I am considering?

Am I prepared to discuss with my child my **reasons for using** a home drug test?

Do I fully understand what this test kit **can and cannot** tell me?

Am I prepared to follow sample collection instructions exactly?

Am I ready and prepared to act **calmly and thoughtfully** if my child tests positive for drug use? Do I know what steps to take next?

Is a laboratory retest recommended? Will I **commit to follow through** with laboratory re-testing if my child receives a positive home drug test result? Do I know how to do this?

Potential Benefits of Home Drug Testing

Drug Testing is One Part of a Prevention Message

Many people believe that just having a drug testing kit in at home can discourage alcohol and other drug use by children and teens. They further believe that home testing can help strengthen the child's belief that if they use drugs their parents can find this out with a drug test. The idea is that this may prevent a child from using drugs in the first place.

Drug Testing as an Excuse to Say "No!"

Others report another possible benefit for children dealing with peer pressure. Knowing that he or she may be tested at any time can give a child a believe-

ble explanation as to why they choose not to use drugs. This way, the child may be better able to resist peer pressure without “losing face.”

Drug Testing Provides a Quick Answer

Parents who are concerned their child has used drugs recently may want to use a home drug testing kit to find out. Traces of drugs may still be in the body. While home testing offers quick results, a testing kit can only provide an initial screen for substance use. Results should be verified by laboratory testing. The desire for *rapid information* is understandable, but must be balanced with the need for *accurate information*. Evaluation by a substance use professional may be of assistance in reaching this balance.

Privacy

Some parents may view a child’s substance use as a private, family matter. These families may find that home testing allows them to address substance use in the privacy of their home. They may not wish to involve a school or healthcare system. Ideally, though, these systems should work together for the benefit of young people. Parents may also feel some reassurance knowing that there are strict healthcare and drug and alcohol confidentiality laws in place. These safeguard information shared with a professional. Many resources are available in the community, outside of the home, through county government and school systems. These may assist parents if they suspect their child is using substances. There is a listing of community resources on pages 23 of this guide.

Detecting Multiple Drugs

Another potential benefit of home testing is that many tests can look for a range of different substanc-

admit use or not, while awaiting laboratory test confirmation.

Parents should act to more fully understand the scope of the drug use if the lab test also returns a positive result or your child admits to use. This is generally done by having an alcohol and other drug professional assess your child. Again, while the assessment is being arranged, parents may also choose to monitor their child’s time and movements more closely.

My Child’s Drug Test was Negative: Can I Relax?

A negative result on a home drug test can be a welcome relief to concerned parents. But parents must understand fully what a negative result means. A negative result on a home test is not a guarantee that a child has not or will not use drugs, either in the past or in the future. It simply means that the home test shows no evidence right now of the use of a certain group of substances over a certain period of time. It is still possible that drug use had occurred, but far enough in the past that it cannot be detected now by the home test. Also, parents must remember that not all home tests look for all substances. So, a test that does not test for cocaine, for example, cannot give parents any information on whether the child is using cocaine. The label of each home test will list the substances that it searches for. But no single test looks for all substances, so negative results must be understood with this in mind.

Finally, it is possible for a child to intentionally interfere with a drug test so that it returns a “false negative” result. A false negative result means that while there actually may be traces of a drug in the body, the home test fails to detect it. There are nu-

lowing pharmacies: Llano – Corner Drug; Kingsland – Bowen’s Pharmacy; Horseshoe Bay – Bay Pharmacy; and Sunrise Beach Village City Hall. The drug and alcohol kits cost \$5.00 each.

The Drug kit is multiple 5-panel urine test, the Alcohol kit is a saliva test. These tests are Food and Drug Administration (FDA) approved.

My Child Just Tested Positive. What Do I Do Now?

A positive result on a home drug test is a cause for concern rather than alarm. It is important that parents REMAIN CALM so they can ACT THOUGHTFULLY. Remember, a positive home test result is only a first test. Before taking any action, it is absolutely necessary that parents obtain a confirmation test. This is done by a laboratory. There should be directions with your test kit that tell you how to get a lab test. This step is very important because it is possible for the home test to return a “false positive” result. That would mean that the screen indicates that traces of a drug are present, when in fact there has been no actual drug use. The laboratory confirmation test is more sensitive and accurate at detecting actual use than a home kit is.

Waiting for lab test results is a time to do just that: wait; unless your child admits to use. If an admission happens, it can be an excellent starting point for an important discussion. Parents should still continue with lab testing. If there is no admission of use, it is not recommended that parents schedule a drug and alcohol assessment right away. Nor is immediately enacting punishment recommended. It is, of course, wise to monitor the child more closely, whether they

es. Test kits vary widely, but some can detect up to 12 different substances. Parents who are worried their child might be using drugs may have no idea what kind might be involved. So a kit that tests for a wider range of substances may be able to tell parents both if drug use has occurred and what type of drug has been used. Important note: Most home testing kits do not test for alcohol use. This is important because alcohol is by far the most commonly misused drug by adolescents. Alcohol Test Kits are available separately through LADI’s In-Home Testing program.

Limitations of Home Drug Testing

Home drug testing kits appear to be useful and convenient. However, there are some potential limitations. A parent should understand these when considering a home drug testing kit. While the following do not necessarily cancel out the value of testing, they are important factors to consider. They may help with using testing safely and effectively.

Drug Testing is One Part of a Larger Equation

Home drug testing, if used, should be only one part of a family’s overall plan to prevent alcohol and other drug use by children and teens. Testing is a tool. If chosen, it should be nested within a larger plan for prevention. This involves active discussions about drug and alcohol use, parental monitoring of the child’s free time and appropriate role modeling by parents. Don’t rely on a single strategy.

Drug Testing Instructions Must Be Followed Precisely

Each testing kit should provide clear instructions that explain how the test should be appropriately given.

Failure to follow the instructions carefully may easily lead to inaccurate results. One of the most important of these instructions is to follow the guidelines for laboratory re-testing in the event that a home drug test returns an initial positive result. In essence, it is incorrect to assume that a positive test result is definitive proof of drug use unless a secondary retest is conducted to confirm the results. Home testing is not and should not be considered complete until the retest is conducted.

Not all Test Kits are Created Equal

Each testing kit on the market should list the drugs that it tests for. Some may test for only a single drug, while others may test for up to twelve different drugs. A test that is not designed to detect cocaine for example cannot return a positive result for that drug even if it is present. The more comprehensive the test, the more likely it will detect substances.

Home Test Results are only A Snapshot in Time

The results of any home drug testing only examines a “snapshot in time.” In other words, a test kit can only detect if substances have been used within a certain window of time. This window varies from drug to drug. A negative test result may only indicate that a drug has not been used in the recent past, and a negative result is not a guarantee that future use will not occur, so parents must remain watchful.

What Types of Drug Tests are Available?

Testing a urine sample is the most common form of over-the-counter home drug testing. A urine test has the person being tested urinate directly into a test

cup. The advantage of this method is the wide range and availability of over-the-counter urine testing kits. The disadvantage is that giving a sample may feel invasive to the adolescent; it may be awkward for both parent and child. This is because directly observing specimen production (watching the child urinate) is recommended. This ensures that the sample is valid. It makes it difficult to „cheat“ on the test. Cheating might include adding a substance, diluting the sample with water, or substituting a different sample.

To avoid this challenge, testing of hair or saliva samples can be done. These look for traces of drugs and alcohol; however, they are not generally available over-the-counter in pharmacies. How quickly test results are desired is something else to consider. Testing hair samples can take several weeks. Urine and saliva sample tests can provide rapid results, but only of the initial at-home test. Follow-up laboratory testing of urine or saliva is still necessary; this may require several additional days. Cost is another consideration. Home urine test kits may vary from under \$10 to \$100. Mostly the cost difference is based on the number of drugs a test can detect. Kits that test for multiple drugs tend to be more expensive than kits that test for only one or two drugs. If a parent is concerned about a particular drug, such as marijuana, he or she may want to use a test that only looks for marijuana. However, if a parent needs or wants to detect multiple drugs, a “multiple panel” test is the better choice.

Where Can I Get a Drug Testing Kit?

Through the In-Home Drug Testing Program drug testing kits are available to parents through the fol-