



ALGEBRA I ACTIVITY 12: BOX PLOTS AND HISTOGRAMS

Tlgebra.com

<p>ACTIVITY OVERVIEW: In this activity we will</p> <ul style="list-style-type: none"> • Create a box plot representing distances traveled on 30 weekends • Compare the box plot to a histogram of the same data to better understand the shape of the box plot 	
<p>Press [STAT][ENTER]. Press [↑] to the top of L1 and then right arrow to the top of the seventh list which has no heading. The calculator will be in Alpha Mode, so type the heading WKND.</p>	
<p>June collected the distances she drove each weekend for 30 weekends. The distances are listed (ten entries per row) in the three rows below. Enter all 30 distances in the WKND list.</p> <p>31, 8, 93, 69, 75, 2, 33, 194, 83, 17, 2, 207, 99, 32, 8, 2, 75, 126, 30, 9, 211, 93, 8, 75, 198, 25, 32, 71, 9, 98</p>	
<p>Press [2nd][Y=] for the Stat Plots menu. Press [ENTER] to select Plot 1. Press [ENTER] to turn the plot on. Select the box plot icon. Arrow down to Xlist.</p>	
<p>To select WKND as the list, press [2nd][STAT] to access the lists. Down arrow to the WKND list and press [ENTER].</p>	

This will paste **WKND** in as the **Xlist**.

```


Plot1 Plot2 Plot3
Off Off
Type: [Histogram] [Box Plot] [Normal]
      [Normal] [Box Plot] [Histogram]
Xlist:WKND
Freq:1
Mark: [ ] + .
  
```

Press **WINDOW**. An appropriate window would include x's that range from 0 to 220. The box plot is not affected by the y settings because it is not paired with a second set of numbers.


```

WINDOW
Xmin=0
Xmax=220
Xscl=20
Ymin=0
Ymax=3
Yscl=1
Xres=1
  
```


Press **GRAPH**.



Press **TRACE** to observe the minimum, Q1 and other values. Why is the first whisker so short? What does it mean for the other whisker to be so long?



The median value is 51. What does this value say about the distances traveled? Since this point is the "middle" point in the data, why isn't the box plot balanced at this point?



To better understand the shape of the box plot, compare it to a histogram of the same data. Press **2nd****Y=** for the **Stat Plots** menu. Press **2** to select **Plot 2**. Press **ENTER** to turn the plot on. Select the histogram icon. Arrow down to **Xlist** and change it to **WKND**.

```


Plot1 Plot2 Plot3
Off Off
Type: [Histogram] [Box Plot] [Normal]
      [Normal] [Box Plot] [Histogram]
Xlist:WKND
Freq:1
  
```

Press **WINDOW**. An appropriate window will still include x's that range from 0 to 220. The histogram will chunk the data into intervals of 20, as indicated by the **Xscl**. It will show frequency on the vertical axis. The **Ymax** can be adjusted later if needed. The **Ymin** has been set slightly below 0 to allow room at the bottom of the graph to read the trace information (which, for a histogram, takes up a bit of room).


```

WINDOW
Xmin=0
Xmax=220
Xscl=20
Ymin=-4
Ymax=14
Yscl=2
Xres=1
    
```

Press **GRAPH**. What do you notice about the shape of the histogram? How does it compare to the shape of the box plot?



Press **TRACE** and up arrow to make sure you are tracing on Plot 2. The readout shows that for the interval containing 0 and numbers less than 20 there are nine entries. Does the fact that the first bar is so tall relate to why is the first whisker so short? What do you see now about why the other whisker is so long?



Right arrow to the spot on the histogram that should contain the median. The interval from 40 to 60 should contain the median of 51, but it shows zero entries. How is that possible?

