



BELLEVILLE PUBLIC SCHOOLS

Elementary School #3

230 Joralemon Street

Belleville, New Jersey 07109

Web Site: <http://3.bellevilleschools.org>

Email: ricardo.acosta@belleville.k12.nj.us



Ricardo L. Acosta, Ed.S.

Principal

Phone: 973-969-4341

Fax: 973-751-9101

March, 2, 2018

Good afternoon parents and guardians,

There was a fire alarm event at School #3 this afternoon. This occurred due to a heat sensor "shorting" out from water which entered the building from a roof leak. Students and staff evacuated the building promptly. We sent out a robocall to have the students, in the affected classes picked up, for an early dismissal as warranted. There was never any imminent danger to any of the students, teachers, or staff members.

I apologize for any inconvenience this may have caused. However, student health and safety is our top priority.

Thank you for your understanding in this matter.

Sincerely,

Ricardo L. Acosta, Ed.S.

Principal

2 de marzo de 2018

Buenas tardes padres y tutores,

Hubo un evento de alarma de incendio en la Escuela # 3 esta tarde. Esto ocurrió debido a un "cortocircuito" del sensor de calor del agua que ingresó al edificio por una fuga en el techo. Los estudiantes y el personal evacuaron el edificio rápidamente. Enviamos un robocall para que recogieran a los estudiantes, en las clases afectadas, para una salida temprana según lo justifique. Nunca hubo ningún peligro inminente para ninguno de los estudiantes, maestros o miembros del personal.

Me disculpo por cualquier inconveniente que esto pueda haber causado. Sin embargo, la salud y la seguridad de los estudiantes es nuestra principal prioridad.

Gracias por su comprensión en este asunto.

Sinceramente,

Ricardo L. Acosta, Ed.S.

Director de escuela

"Where Learners Become Leaders"